



LABELS FOR LASER AND INK-JET PRINTERS

Blank labels for laser or ink-jet printers. Supplied on A4 sheets, in UL certified materials such as polyester and polyolefin, for long-term use, at very high temperatures if necessary.

Supplied in packs of 10 and combined with a strong liner, each sheet of labels must be fed manually into the printer.

LLS and ILS labels can be used to identify electrical and electronic components with the high quality print provided by desktop printers.

PRINTERS	Laser							Ink-jet
	WPYM	GPYM	SPYM	WPVM	SPVM	STYM	YPYM	WTEM
Material	Polyester	Polyester	Polyester	Polyester Tempermark Void	Polyester Tempermark Void	Polyester Checkerboard	Polyester (only indoor)	Polyolefin
Colour	white	grey	silver	white	silver	silver	yellow	white
Surface	matt	matt	matt	matt	matt	matt	matt	matt
Thickness µ	50	50	50	50	50	50	50	150
Temperature range	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +150°C -40°F to +302°F	-40°C to +120°C -40°F to +248°F
Min. application temperature	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)	+10°C (+50°F)
Adhesive	permanent	permanent	permanent	permanent	permanent	permanent	permanent	permanent



Grey and 'silver' Polyester labels are widely used in the

electrical and electronic industries. 'Silver', ie. metallised, labels contain a layer of conductive aluminium which becomes electrically charged during printing. Grey labels are non-conductive and may be preferred when it is necessary to avoid the risk of electrical discharges in the printer. Both types have a similar top surface.

Void and 'silver' tamper-evident security labels, if removed, leave traces on both the surface and the label, preventing replacement



Chemical and pharmaceutical applications commonly require the use of very thin and strong labels capable of withstanding contact with chemical agents.



Polyester is recommended for its transparency and non-deformability.



Improved visibility may be obtained with coloured polyester labels available in a wide range of materials supplied by Cembre.

self adhesive

Rectangular, square corners



Size A x B mm	Quantity	Code	Rows x columns per A4 sheet	LAYOUT			
				M	N	O	P
5 x 12	8.250	7700707....	55 x 15	15,00	12,00	15,00	10,00
6 x 15	5.520	7700112....	46 x 12	15,00	11,00	15,00	10,00
6 x 20	4.140	7700116....	46 x 9	15,00	11,00	15,00	10,00
7 x 10	7.410	7700708....	39 x 19	10,00	14,00	10,00	10,00
7 x 15	4.680	7700709....	39 x 12	15,00	14,00	15,00	10,00
8 x 12	5.100	7700158....	34 x 15	15,00	15,00	15,00	10,00
8 x 15	4.080	7700164....	34 x 12	15,00	15,00	15,00	10,00
8 x 17	3.740	7700162....	34 x 11	11,50	15,00	11,50	10,00
8 x 45	1.360	7700064....	34 x 4	15,00	15,00	15,00	10,00
9 x 12	4.800	7700070....	30 x 16	9,00	17,00	9,00	10,00
9 x 15	3.600	7700068....	30 x 12	15,00	17,00	15,00	10,00
9 x 20	2.700	7700196....	30 x 9	15,00	17,00	15,00	10,00
9 x 35	1.500	7700710....	30 x 5	17,50	17,00	17,50	10,00
10 x 30	1.620	7700174....	27 x 6	15,00	17,00	15,00	10,00
10 x 33	1.890	7700266....	27 x 6	22,50	17,00	22,50	10,00
10 x 60	810	7700292....	27 x 3	15,00	17,00	15,00	10,00
11 x 19	2.250	7700094....	25 x 9	19,50	12,00	19,50	10,00
11 x 38	1.250	7700096....	25 x 5	10,00	12,00	10,00	10,00
12 x 25	1.610	7700304....	23 x 7	17,50	14,00	17,50	10,00
12 x 34	1.150	7700300....	23 x 5	20,00	14,00	20,00	10,00
12 x 40	880	7700711....	22 x 4	25,00	23,00	25,00	10,00
13 x 50	630	7700712....	21 x 3	30,00	14,00	30,00	10,00
15 x 17	1.980	7700330....	18 x 11	11,50	11,50	11,50	10,00
15 x 27	1.260	7700616....	18 x 7	10,50	17,00	10,50	10,00
15 x 49	540	7700614....	18 x 3	31,50	17,00	31,50	10,00
15 x 78	360	7700713....	18 x 2	27,00	17,00	27,00	10,00
18 x 32	900	7700228....	15 x 6	9,00	17,00	9,00	10,00
18 x 46	600	7700208....	15 x 4	13,00	17,00	13,00	10,00
21 x 70	260	7700714....	13 x 2	35,00	14,00	35,00	10,00
22 x 40	480	7700306....	12 x 4	25,00	33,00	25,00	10,00
22 x 63	360	7700652....	12 x 3	10,50	33,00	10,50	10,00
22 x 110	120	7700715....	12 x 1	50,00	23,00	50,00	10,00
25 x 50	330	7700716....	11 x 3	30,00	12,00	30,00	10,00
25 x 80	220	7700717....	11 x 2	25,00	12,00	25,00	10,00
30 x 80	180	7700719....	9 x 2	25,00	17,00	25,00	10,00
30 x 100	180	7700720....	9 x 2	5,00	17,00	5,00	10,00
32 x 58	240	7700718....	8 x 3	18,00	31,00	18,00	10,00
34 x 60	240	7700721....	8 x 3	15,00	15,00	15,00	10,00
34 x 63	240	7700484....	8 x 3	10,50	15,00	10,50	10,00
40 x 60	210	7700452....	7 x 3	15,00	10,00	15,00	7,00
40 x 90	140	7700456....	7 x 2	15,00	10,00	15,00	7,00
42 x 78	120	7700722....	6 x 2	27,00	35,00	27,00	10,00
45 x 60	180	7700414....	6 x 3	15,00	17,00	15,00	10,00
48 x 90	100	7700528....	5 x 2	15,00	47,00	15,00	10,00
50 x 80	100	7700723....	5 x 2	25,00	37,00	25,00	10,00
52 x 107	50	7700726....	5 x 1	51,50	27,00	51,50	10,00
60 x 100	80	7700725....	4 x 2	5,00	47,00	5,00	10,00
62 x 88	80	7700724....	4 x 2	17,00	39,00	17,00	10,00
75 x 105	30	7700728....	3 x 1	52,50	62,00	52,50	10,00
105 x 110	20	7700727....	2 x 1	43,50	77,00	43,50	10,00
120 x 60	40	7700729....	2 x 2	15,00	47,00	15,00	10,00
120 x 70	40	7700730....	2 x 2	35,00	57,00	35,00	10,00
140 x 98	40	7700731....	2 x 2	7,00	7,00	7,00	10,00

Self-adhesive labels on A4 sheets for printers using Microsoft Office, etc.


Print quality and integrity depends on the equipment used.

Materials available: see p.126
Add material reference below to Code

WPYM	GPYM	SPYM	WPVM
SPVM	STYM	YPYM	WTEM


LAYOUT

MARGIN:
sheet edge
to label side
M - Left margin
N - Upper margin
O - Right margin
P - Lower margin
X - Horizontal spacing between labels
Y - Vertical spacing between labels




LASER AND INK-JET LABELS

self adhesive



Square, square corners

Size A x B mm	Quantity	Code	Rows x columns per A4 sheet	LAYOUT			
				M	N	O	P
16 x 16	1.760	7702045....	16 x 11	17,00	31,00	17,00	10,00
20 x 20	1.170	7702046....	13 x 9	15,00	27,00	15,00	10,00
28 x 28	600	7702044....	10 x 6	21,00	10,00	21,00	7,00
30 x 30	540	7702032....	9 x 6	15,00	17,00	15,00	10,00
40 x 40	280	7702036....	7 x 4	25,00	10,00	25,00	7,00
50 x 50	150	7702047....	5 x 3	30,00	37,00	30,00	10,00
70 x 70	80	7702049....	4 x 2	35,00	7,00	35,00	10,00
100 x 100	40	7702050....	2 x 2	5,00	97,00	5,00	10,00



Rectangular, rounded corners

Size A x B mm	Quantity	Code	Rows x columns per A4 sheet	LAYOUT			
				M	N	O	P
275x190	10	7703058....	1 x 1	10,00	12,00	10,00	10,00

Circular



Size Ø mm	Quantity	Code	Rows x columns per A4 sheet	LAYOUT					
				M	N	O	P	X	Y
16	1.400	7704002....	14 x 10	7,00	10,00	7,00	10,00	4,00	4,00
25	540	7704006....	9 x 6	17,50	17,00	17,50	15,00	5,00	5,00
50	150	7704010....	5 x 3	22,00	21,00	22,00	10,00	4,00	8,00

A4

Size A x B mm	Quantity	Code
297x210	10	7706000....

WRAPAROUND CABLE MARKERS

for laser printers, self adhesive, A4 sheet

KML 038

Wrapping diameter 4,3 ÷ 7mm
Overall length A: 38mm

Colour	Code	B Ref.	Print area C x B mm	Quantity
white	18950-...	010	10x10	1.260
		012	10x12	1.050
yellow	18450-...	015	10x15	840
		018	10x18	700
orange	18350-...	020	10x20	630
		023	10x23	560
red	18250-...	025	10x25	490
		030	10x30	420
blue	18650-...	035	10x35	350
		045	10x45	280
green	18550-...			

KML 050

Max. wrapping diameter 6 ÷ 10mm
Overall length A: 50mm

Colour	Code	B Ref.	Print area C x B mm	Quantity
white	18951-...	010	15x10	900
		012	15x12	750
yellow	18451-...	015	15x15	600
		018	15x18	500
orange	18351-...	020	15x20	450
		023	15x23	400
red	18251-...	025	15x25	350
		030	15x30	300
blue	18651-...	035	15x35	250
		045	15x45	200
green	18551-...			

KML 075

Max. wrapping diameter 8 ÷ 14mm
Overall length A: 75mm

Colour	Code	B Ref.	Print area C x B mm	Quantity
white	18952-...	010	25x10	540
		012	25x12	450
yellow	18452-...	015	25x15	360
		018	25x18	300
orange	18352-...	020	25x20	270
		023	25x23	240
red	18252-...	025	25x25	210
		030	25x30	180
blue	18652-...	035	25x35	150
		045	25x45	120
green	18552-...			

KML 135

Max. wrapping diameter 19 ÷ 34mm
Overall length A: 135mm

Colour	Code	B Ref.	Print area C x B mm	Quantity
white	18953-...	015	25x15	240
		018	25x18	200
yellow	18453-...	020	25x20	180
		023	25x23	160
orange	18353-...	025	25x25	140
		030	25x30	120
red	18253-...	035	25x35	100
		045	25x45	80
blue	18653-...			
green	18553-...			

USE

Directly on cables, etc in accordance with wrapping diameter limitations shown for each size.

KML

KML wraparound cable markers are suitable for identifying large diameter cables, tubes and conduit.

Order Code followed by B Ref. corresponding to required width.

Material: transparent Polyester film.

Long-life Acrylic adhesive.

Resistant to water, oil, grease, alcohol, detergent, alkaline substances, sea water and all kinds of detergents.

Excellent dimensional stability, optimum anti-ageing qualities

Operating temperature range:

- 40°C to + 125°C

104°F to + 257°F

